

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	207	380/281.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L2	59	380/276.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L3	1159	713/202.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L4	34	((2nd second plurality multiple another many) adj2 (authenticat\$3) adj (mechanism method)) and ((authenticat\$3) adj (mechanism method)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L5	159	(2nd second plurality multiple another many) adj2 (authenticat\$3) adj (mechanism method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L6	21173	(\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L7	21173	(\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L8	2041	(authenticat\$3 authoriz\$5 verif\$6) adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L9	6558	(multiple second other another multilevel multi-level different) near3 (conset assent permission securit\$3 authoriz\$7 access\$7 authenticat\$3 authenticity) near3 (level sublevel sub-level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19

L10	18337	(multiple second other another multilevel multi-level different) with (conset assent permission securit\$3 authoriz\$7 access\$7 authenticat\$3 authenticity) with (level sublevel sub-level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L11	1	09/846175	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L12	31145	(authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L13	1901	(authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option) and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L14	14434	(security near3 idenfif\$6) SID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L15	17	((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option) and access\$3) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and ((security near3 idenfif\$6) SID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L16	1266	(authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique) with (choice choos\$3 alternative select\$3 option) and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L17	10	((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique) with (choice choos\$3 alternative select\$3 option) and access\$3) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and ((security near3 idenfif\$6) SID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19

L18	2366	(authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L19	9	NTLM and SSL and Digest and Kerberos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L20	710	(authenticat\$3 authorizat\$3) near3 (selection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:19
L21	170	((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3) and ((authenticat\$3 authorizat\$3) near3 (selection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
L22	37	((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3) and ((authenticat\$3 authorizat\$3) near3 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
L23	124	((authenticat\$3 authorizat\$3) near3 (selection)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
L24	87	((authenticat\$3 authorizat\$3) near3 (selection)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)) not (((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3) and ((authenticat\$3 authorizat\$3) near3 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20

L25	3301	((authenticat\$3 authorizat\$3) near3 (select\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
L26	2609	((authenticat\$3 authorizat\$3) near3 (select\$3)) not ((authenticat\$3 authorizat\$3) near3 (selection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
L27	542	(((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and (((authenticat\$3 authorizat\$3) near3 (select\$3)) not ((authenticat\$3 authorizat\$3) near3 (selection))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
L28	542	(((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and (((authenticat\$3 authorizat\$3) near3 (select\$3)) not ((authenticat\$3 authorizat\$3) near3 (selection))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
L29	471	((authenticat\$3 authorizat\$3) near2 (selection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
L30	239	((authenticat\$3 authorizat\$3) near3 (selection)) not ((authenticat\$3 authorizat\$3) near2 (selection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
L31	35	((((authenticat\$3 authorizat\$3) near3 (selection)) not ((authenticat\$3 authorizat\$3) near2 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20

L32	24	(((authenticat\$3 authorizat\$3) near3 (selection)) not ((authenticat\$3 authorizat\$3) near2 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)) not (((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3) and ((authenticat\$3 authorizat\$3) near3 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
L33	26	(((authenticat\$3 authorizat\$3) near3 (mechanism policy method procedure technique operation process) with (choice choos\$3 alternative select\$3 option multiple) and access\$3) and ((authenticat\$3 authorizat\$3) near3 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)) not (((authenticat\$3 authorizat\$3) near3 (selection)) not ((authenticat\$3 authorizat\$3) near2 (selection))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
L34	2283	(authenticat\$3 authorizat\$3) near2 (select\$3 choice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
L35	63	((authenticat\$3 authorizat\$3) near2 (select\$3 choice)) not ((authenticat\$3 authorizat\$3) near3 (select\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20
L36	11	(((authenticat\$3 authorizat\$3) near2 (select\$3 choice)) not ((authenticat\$3 authorizat\$3) near3 (select\$3))) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:20

L37	34	(authenticat\$3 authorizat\$3 mechanism policy method procedure technique operation process choice choos\$3 alternative select\$3 option multiple access\$3 \$2crypt\$3 encod\$3 decod\$3 \$2crypt\$3 encod\$3 decod\$3 key) and GSS-API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21
L38	18337	(multiple second other another multilevel multi-level different) with (conset assent permission securit\$3 authoriz\$7 access\$7 authenticat\$3 authenticity) with (level sublevel sub-level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21
L39	542	(((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and (((authenticat\$3 authorizat\$3) near3 (select\$3)) not ((authenticat\$3 authorizat\$3) near3 (selection))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21
L40	2041	(authenticat\$3 authoriz\$5 verif\$6) adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21
L41	147	(2nd second plurality multiple another many) near3(authenticat\$3 authoriz\$5 verif\$6) adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21
L42	11	((authenticat\$3 authoriz\$5 verif\$6) adj level) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and ((2nd second plurality multiple another many) near3(authenticat\$3 authoriz\$5 verif\$6) adj level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:22
L43	3	Method with Controlling with Public with Access with Data adj Objects with Data adj Processing adj System	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21
L44	7476	(authenticat\$3) adj (mechanism method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21
L45	191	(2nd second plurality multiple another many) near3(authenticat\$3) adj (mechanism method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:21

L46	51	((2nd second plurality multiple another many) near3(authenticat\$3) adj (mechanism method)) and ((authenticat\$3) adj (mechanism method)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:22
L47	159	(2nd second plurality multiple another many) adj2 (authenticat\$3) adj (mechanism method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:22
L48	34	((2nd second plurality multiple another many) adj2 (authenticat\$3) adj (mechanism method)) and ((authenticat\$3) adj (mechanism method)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:22
L49	4548	(authenticat\$3 near3 (method mechanism)) same (access\$3 control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:23
L50	3027	(authenticat\$3 near3 (method mechanism)) with (access\$3 control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:23
L51	255	(authenticat\$3 near3 (method mechanism)) with (access\$3 control\$4) with resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:25
L52	9	(pluralit\$ many serveral multiple) near3 (authenticat\$3 near3 (method mechanism)) with (access\$3 control\$4) with resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 09:26